



FRIEDA

WHITE LUPIN

A real protein bomb

Profile

FRIEDA is a real protein miracle. In contrast to soya, it has a significantly better climate adaptation, a lower heat requirement and can thus be grown on many sites. Due to its unique anthracnose tolerance, it provides farmers with high yield security. FRIEDA is suitable for animal feed; its use in human nutrition is still being tested.

Distribution in: DE • Breeder: LLA Triesdorf

- ✓ Branching type with low content of bitter substances
- ✓ High protein yield for feed use
- ✓ Also usable for human nutrition due to lower alkaloid content
- ✓ Tolerance against anthracnose
- ✓ FRIEDA is significantly more yield-safe than all previously approved varieties, as it is tolerant to anthracnose
- ✓ Better yield potential, higher protein content with better space stability than blue lupins
- ✓ Deep-rooted taproot and therefore very insensitive to summer dryness
- ✓ Very good threshing ability due to homogenous grain/straw ripening and high core build-up

Agronomics Features

Limitation in tillering	<input checked="" type="radio"/> (1) <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(absent or very low)
Flowering	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> (3) <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(low)
Maturity	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input checked="" type="radio"/> (4) <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(early to medium)
Plant Height	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> (5) <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(medium)
Lodging	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> (3) <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(low)
Kernel yield	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input checked="" type="radio"/> (6) <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(medium to high)
Protein yield	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input checked="" type="radio"/> (7) <input type="radio"/> 8 <input type="radio"/> 9	(high)
Thousand grain mass	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input checked="" type="radio"/> (7) <input type="radio"/> 8 <input type="radio"/> 9	(high)
Protein content	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> (3) <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(low)
Bitterness level	<input checked="" type="radio"/> (1) <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(low in bitter substances)

Agronomic properties

Determinate growth	<input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	missing
Beginning of flowering	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	early
Maturity	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input checked="" type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	early to medium
Plant Height	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	medium
Bitterness level	<input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	low in bitter substances

Tends to

Lodging



low

Yield characteristics

Thousand grain mass



high

Grain yield



medium to high

Gross protein yield



high

Classification according to the descriptive variety list - Bundessortenamt (federal plant variety office, Germany) 2025 and our own results.

Quality

Protein content



low

All specified information is given to the best of our knowledge and belief, but without guarantee on completeness and correctness. Despite care we cannot guarantee that the described characteristics are repeatable / comprehensive in agricultural practice in each case. DSV United Kingdom Ltd. excludes adhesion for damage or claims for damages, resulting of the use for the variety specified in this description.